IGL COATINGS™ ECOCLEAN AIO SPRAY

Material no.

Specification 154341 Revision date 07.06.2022

Version **1.00** Page 1 of 7



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME : IGL Coatings™ Ecoclean AIO Spray

FUNCTION : Stain-removing agent COMPANY : Ominent Sdn Bhd

ADDRESS : No.7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1, 40150 Shah Alam,

Selangor.

PHONE : +60355690980

EMAIL ADDRESS : regulations@iglcoatings.com

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Health hazards

Skin Corrosion/Irritation Category 2
Eye Irritation Category 2

2.2 Label Elements

Regulation (EC) No. 1272/2008



GHS07 Signal word

Warning

Hazard statements

H315 Causes skin irritation
H319 Causes serious eye irritation

Precautionary statements

P260 Do not breathe mist, vapours, spray.

P264 Wash exposed skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to comply with local, state and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No.	Chemical Name			Quantity		
	EC No.	lo. Index No. REACH No.				
	Classification acco					
7732-18-5	Water			>90%		
	231-791-2	Not applicable	Not applicable			
	Not applicable					
63148-62-9	Polydimethylsiloxane			0.1-1%		
	613-156-5					

IGL COATINGS™ ECOCLEAN AIO SPRAY



Specification 154341 Revision date 07.06.2022

Version **1.00** Page 2 of 7



	Aquatic Acute 3: H402			
7664-39-3	Hydrofluoric acid			0.1-1%
	231-634-8	009-002-00-6	Not applicable	
	Acute Tox. 1: H310 H314	0; Acute Tox. 2: H3	30; Acute Tox. 2: H300; Skin Corr. 1A:	
16961-83-4	Fluorosilicic Acid			0.1-1%
	241-034-8	009-011-00-5	01-2119488906-19-0000	
	Skin Corr. 1B: H31	4; Eye Dam. 1: H3	18	
7664-93-9	Sulphuric Acid			0.1-1%
	231-639-5	016-020-00-8	01-2119458838-20-0000	
	Skin Corr. 1A: H31			
68891-38-3	Sodium laureth su	ılphate		<0.1%
	500-234-8	Not applicable	01-2119488639-16-0000	
	Skin Irr. 2: H315; Chronic 3: H412			
110615-47-9	Lauryl glucoside	Lauryl glucoside		
	600-975-8	Not applicable	Not applicable	
	Skin Corr./Irrit. 2: I			
134180-76-0	Polysiloxane	Polysiloxane		
	603-798-4	Not applicable	Not applicable	
	Aquatic Chronic 2: H411; Eye Dmg. 1: H318			

4. FIRST AID MEASURES

4.1 Description of first aid measures

General Information

Take off contaminated clothing.

After Inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After skin contact

Gently wash with plenty of water or shower. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if presence and easy to do. In case of troubles or when symptoms persist, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No Information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Unsuitable extinguishing media

IGL COATINGS™ ECOCLEAN AIO SPRAY

Material no.

Specification 154341 Revision date 07.06.2022

Version **1.00** Page 3 of 7



No information available.

5.3 Special hazards arising from substance or mixture

No information available.

5.4 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.5 Unusual Fire Hazards:

None.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (Refer to section 8).

6.2 Environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Dilute with water and mop up or absorb with an inert dry material and placed in an appropriate waste disposal container.

6.4 Reference to other sections

Safe handling: Refer to section 7

Personal protection equipment: Refer to section 8.

Disposal: Refer to section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (Refer to section 8).

Eating and drinking should be prohibited in the area where this product is handled.

Wash hands before breaks and at the end of work.

Advice on protection against fire and explosion

Not flammable.

Further information on handling

General protection and hygiene measures: Refer to section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool and well-ventilated place.

Advice on storage compatibility

Do not store together with food and feeding stuffs.

Further information on storage conditions

Keep the packing dry and well-sealed to prevent contamination.

Recommended storage temperature: 20-25 °C.

7.3 Specific end use(s): Refer to section 1.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional Information: The lists valid during the making were used as basis.

8.2 Exposure Control

8.2.1 General protective and hygienic measures:

Wash hands, forearms and face before eating and at the end of work.

8.2.2 Personal protective equipment:

Respiratory protection: Respiratory protection in case of vapour/aerosol release.

IGL COATINGS™ ECOCLEAN AIO SPRAY

Material no.

Specification 154341 Revision date 07.06.2022

Version **1.00** Page 4 of 7



Protection of hands:

Wear protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses with side-shields.

Body protection:

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point : 100 °C
Flash Point : 100 °C
Specific Gravity : Not available

Density : $\sim 1 \text{ g/cm}^3$ pH : ~ 1

Evaporation Rate : Not available
Solubility in Water : Water soluble
Appearance (color) : Whitish translucent

Appearance (form) : Liquid Odour : Lemon

10. STABILITY AND REACTIVITY

- **10.1 Chemical stability**: Stable under normal condition.
- 10.2 Reactivity: Reactive or incompatible with alkalis. Keep away of heat sources.
- **10.3 Possibility of hazardous reactions**: Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid: Avoid extreme temperature and direct sunlight.
- **10.5 Incompatible materials**: No information available.
- **10.6 Hazardous decomposition products**: No information available.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity: No information available

Acute Toxicity: No information available.

Skin corrosion/irritation: May causes skin irritation.

Serious eye damage/eye irritation: May causes serious eye irritation.

Respiratory or skin sensitization: No information available.

a reproductive toxicant.

Specific target organ toxicity – single exposure: No information available. **Specific target organ toxicity – repeated exposure**: No information available.

Aspiration hazard: No information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Specified substance: Polydimethylsiloxane

-		, ,		
	Endpoint	Value	Species	Exposure time

Summary of evaluation of the CMR properties: Shall not be classified as a germ cell mutagenic, carcinogenic nor as


IGL COATINGS™ ECOCLEAN AIO SPRAY



Specification

154341 Revision date **07.06.2022**

Version **1.00** Page 5 of 7



(b) igl coatings

Specificed substance: Sulphuric acid

Endpoint	Value	Species	Exposure time	Source
LC50	16 mg/L	Freshwater fish	N/A	ECHA
LC50	100 mg/L	Aquatic invertebrates	48 hours	ECHA
EC10 or NOEC	100 mg/L	Freshwater algae	72 hours	ECHA

Specified substance: Fluorosilicic acid

Endpoint	Value	Species	Exposure time	Source	
LC50	50 mg/L	Freshwater fish	4 days	ECHA	
EC50	26-48 mg/L	Aquatic invertebrates	4 days	ECHA	
EC50	43-122 mg/L	Freshwater algae	4 days	ECHA	

Specified substance: Hydrofluoric acid

Endpoint	Value	Species	Exposure time	Source
LC50	51 mg/L	Freshwater fish	4 days	ECHA
EC50/LC50	26 mg/L	Freshwater invertebrates	4 days	ECHA
EC50	43 mg/L	Freshwater algae	4 days	ECHA

Specified substance: Sodium laureth sulphate

Endpoint	Value	Species	Exposure time	Source
LC50	7.1 mg/L	Fish	96 hours	ECHA
NOEC	0.14-0.2 mg/L	Fish	28 days	ECHA
EC50	7.4 mg/L	Aquatic invertebrates	48 hours	ECHA
NOEC	0.27 mg/L	Aquatic invertebrates	21 days	ECHA
EC50	27.7 mg/L	Algae	72 hours	ECHA

Specified substance: Lauryl glucoside

Endpoint	Value	Species	Exposure time	Source
LC50	2.95 - 5.9 mg/L	Fish	96 hours	ECHA
NOEC	1 - 3.2 mg/L	Fish	28 days	ECHA
EC50	7 - 14 mg/L	Aquatic invertebrates	48 hours	ECHA
NOEC	1 - 4 mg/L	Aquatic invertebrates	21 days	ECHA
EC50	5 - 25 mg/L	Algae	72 hours	ECHA

12.2 Process of degradability

No data available.

12.3 Bio-accumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB Assessment

No data available.

12.6 Other adverse effects

No data available.

IGL COATINGS™ ECOCLEAN AIO SPRAY

Material no.

Specification 154341 Revision date 07.06.2022

Version **1.00** Page 6 of 7



13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulation.

Sewage disposal-related information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

14. TRANSPORT INFORMATION

14.1 IATA-DGR

UN number :

UN proper shipping name : Non dangerous goods

Transport hazard class(es) : Packing group : Environmental hazards : No

Special precautions for user : No data available.

Remarks : -

14.2 IMDG-Code

UN number : -

UN proper shipping name : Non dangerous goods

Transport hazard class(es) : Packing group : Environmental hazards : No
Marine pollutant : No
EmS Code : -

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture US Federal Regulations

US. Toxic Substances Control Act (TSCA)

All chemical substances in this material are included on the TSCA Inventory of Chemical Substances.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Hazardous Substance List

This product contains the following substance subject to CERCLA Hazardous Substance List

ComponentCAS No.Hydrofluoric acid7664-39-3Sulphuric acid7664-93-9

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Emergency Planning and Community Right-To-Know Act (EPCRA) Section 302 Extremely Hazardous Substance

This product contains the following substance subject to the reporting requirements of EPCRA Section 302

ComponentCAS No.Hydrofluoric acid7664-39-3Sulphuric acid7664-93-9

Emergency Planning and Community Right-To-Know Act (EPCRA) Section 313 Toxics Release Inventory (TRI) Reporting



Material no.

Specification 154341 Revision date 07.06.2022

Version 1.00 7 of 7 Page



This product contains the following substance subject to the reporting requirements of EPCRA Section 313

Component CAS No. 7664-93-9 Sulphuric acid

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CRF 68.130)

None present or none present in regulated quantities.

US. State Regulation

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

EU Regulation

EU. Directive 2012/18/EU (SEVESO III) on Major Accident Hazards Involving Dangerous Substances, Annex I:

Not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.