(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 1 of 12 Print date: 11/04/2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: Ecoclean Iron Spray UFI: Ecoclean Iron Spray UFI: 1M24-3A4N-ETKG-YM1R

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Rust remover.

Uses advised against:

For professional use only.

1.3 Details of the supplier of the safety data sheet.

Company: IGL Coatings

Address: No. 7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1

City: 40150 - Shah Alam Province: Selangor +0355690980

E-mail: regulations@iglcoatings.com Web: https://iglcoatings.com/

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Acute Tox. 4: Harmful if swallowed.

Skin Sens. 1: May cause an allergic skin reaction.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Warning

Hazard statements:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container according to local, state and federal regulations.

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



 Version 3
 Page 2 of 12

 Date of compilation: 20/11/2024
 Print date: 11/04/2025

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008		
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate	
CAS No: 7732-18-5 EC No: 231-791-2	water	75 - 100 %	-	-	
CAS No: Proprietary EC No: Proprietary	Proprietary	5 - 25 %	Acute Tox. 3, H301 - Acute Tox. 4, H312 - Met. Corr. 1, H290 - Skin Sens. 1, H317	-	
CAS No: 164462-16-2	Alanine, N,N-bis(carboxymethyl)-, sodium salt (1:3)	2.5 - 25 %	Met. Corr. 1, H290	-	
CAS No: 6419-19-8 EC No: 229-146-5	nitrilotrimethylenetris(phosphonic acid)	1 - 10 %	Eye Irrit. 2, H319 - Met. Corr. 1, H290	-	
CAS No: 68585-34-2 EC No: 500-223-8	Alcohols, C10-16, ethoxylated, sulfates, sodium salts	0 - 2.5 %	-	-	
CAS No: 110615-47-9	Alkylpolyglycoside C10-16	0 - 1 %	Eye Dam. 1, H318 - Skin Irrit. 2, H315	-	
CAS No: 1336-21-6 EC No: 215-647-6 Index No: 007-001-01-2	ammonia.%	0.1 - 1 %	Aquatic Acute 1, H400 - Skin Corr. 1B, H314	STOT SE 3, H335: C ≥ 5 %	
CAS No: 110-98-5 EC No: 203-821-4	Dipropylene glycol [2-propanol, 1,1'-oxydi-]	0 - 2.5 %	-	-	
CAS No: 120-51-4 EC No: 204-402-9 Index No: 607-085-00-9	benzyl benzoate	0 - 2.5 %	Acute Tox. 4, H302 - Aquatic Chronic 2, H411	-	

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 3 of 12 Print date: 11/04/2025

CAS No: 80-54-6 EC No: 201-289-8 Index No: 605-041-00-3	2-(4-tert-butylbenzyl) propionaldehyde	0 - 0.3 %	Repr. 1B, H360Fd	-
CAS No: 101-86-0 EC No: 202-983-3	a-hexylcinnamaldehyde	0 - 1 %	Aquatic Acute 1, H400 - Aquatic Chronic 2, H411 - Skin Sens. 1, H317	-
CAS No: 118-58-1 EC No: 204-262-9 Index No: 607-754-00-5	benzyl salicylate	0 - 1 %	Skin Sens. 1B, H317	-

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

^{*} See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 4 of 12 Page 4 of 12 Print date: 11/04/2025

5.2 Special hazards arising from the substance or mixture.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, diatomaceous earth) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Rust remover.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 5 of 12 Date of compilation: 20/11/2024 Print date: 11/04/2025

Name	DNEL/DMEL	Туре	Value
	DNEL (Workers)	Inhalation, Chronic, Systemic effects	9,7 (mg/m³)
	DNEL (Consumers)	Inhalation, Chronic, Systemic effects	2,39 (mg/m³)
	DNEL (Workers)	Inhalation, Short term, Systemic effects	9,7 (mg/m³)
nitrilotrimethylenetris(phosphonic	DNEL (Consumers)	Inhalation, Short term, Systemic effects	2,39 (mg/m³)
acid)	DNEL (Workers)	Dermal, Chronic, Systemic effects	2,75 (mg/kg bw/day)
CAS No: 6419-19-8	DNEL (Consumers)	Dermal, Chronic, Systemic effects	1,38 (mg/kg bw/day)
EC No: 229-146-5	DNEL (Workers)	Dermal, Short term, Systemic effects	2,75 (mg/kg bw/day)
	DNEL (Consumers)	Dermal, Short term, Systemic effects	1,38 (mg/kg bw/day)
	DNEL (Consumers)	Oral, Chronic, Systemic effects	1,38 (g/kg bw/day)
	DNEL (Consumers)	Oral, Short term, Systemic effects	1,38 (g/kg bw/day)
Dipropylene glycol [2-propanol, 1,1'-	DNEL (Workers)	Inhalation, Chronic, Systemic effects	238 (mg/m³)
oxydi-]		-	
CAS No: 110-98-5			
EC No: 203-821-4			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated. DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum. Concentration levels PNEC:

Name	Details	Value
nitrilotrimethylenetris(phosphonic acid) CAS No: 6419-19-8 EC No: 229-146-5	aqua (freshwater)	0,46 (mg/L)
	aqua (marine water)	0,046 (mg/L)
	STP	20 (mg/L)
	sediment (freshwater)	150 (mg/kg sediment dw)
	sediment (marine water)	15 (mg/kg sediment dw)
	soil	244 (mg/kg soil dw)

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are not expected in the environmental compartment.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %		
Uses:	Rust remover.		
Breathing protect	ion:		
PPE:	Filter mask for protection against gases and particles.		
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.		
CEN standards:	EN 136, EN 140, EN 405		
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.		
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.		
Filter Type needed:	A2		
Hand protection:			
PPE: Characteristics:	Protective gloves against chemicals. «CE» marking, category III.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	PVC Breakthrough time Material thickness 0,35 (min.):		

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 6 of 12 Date of compilation: 20/11/2024 Print date: 11/04/2025

Eye protection:	
PPE:	Protective goggles with built-in frame.
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.
CEN standards:	EN 165, EN 166, EN 167, EN 168
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.
Skin protection:	
PPE:	Protective clothing.
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.
CEN standards:	EN 340
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.
PPE:	Work footwear.
Characteristics: CEN standards:	«CE» marking, category II. EN ISO 13287, EN 20347
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Liquid. Colour: Clear to slightly pink.

Odour: Sulfidic.

Odour threshold: Not available. Melting point: Not available. Freezing point: Not available.

Boiling point or initial boiling point and boiling range: 100 °C

Flammability: Not available. Lower explosion limit: Not available. Upper explosion limit: Not available.

Flash point: 100 °C

Auto-ignition temperature: Not available. Decomposition temperature: Not available.

pH: 7 - 8

Kinematic viscosity: 116.67 - 152.38 mm2/s

Solubility: Soluble.

Hydrosolubility: Not available. Liposolubility: Not available.

Partition coefficient n-octanol/water (log value): Not available.

Vapour pressure: Not available. Absolute density: 1050 kg/m3 Relative density: Not available. Relative vapour density: Not available. Particle characteristics: Not available.

9.2 Other information

Not available.

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 7 of 12 Page 7 of 12 Print date: 11/04/2025

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Name	Туре	Test	Kind	Value	
		LD50	Rat	2700 mg/kg [1]	
	Oral	[1] Gigiena i Sanitariya. For English translation, see HYSAAV. Vol. 49(2), Pg. 67, 1984.			
nitrilotrimethylenetris(phosphonic acid)		LD50	Rabbit	6310 mg/kg [1]	
	Dermal			nental Protection Agency, Office of tances. Vol. 8EHQ-0990-0937,	
CAS No: 6419-19-8	Inhalation				

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Dermal) = 11,000 mg/kg

ATE (Oral) = 1,000 mg/kg

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 8 of 12 Date of compilation: 20/11/2024 Print date: 11/04/2025

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Based on available data, the classification criteria are not met.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

Name	Ecotoxicity				
Name	Туре	Test	Kind	Value	
	Fish	LC50	Ictalurus punctatus	1212 mg/l (96 h) [1]	
		[1] According to guideline: EPA 660/3-75-009			
nitrilotrimethylenetris(phosphonic acid)	Aquatic	EC50	Daphnia magna	375 mg/L (24 h) [1]	
	invertebrates	[1] Experimental result from 1972.04.21			
	Aquatic plants	EC50	Pseudokirchnerell a subcapitata	12.39 mg/L (96 h) [1]	
CAS No: 6419-19-8 EC No: 229-146-5		[1] Study r	eport 1992.		

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
Name	Log Pow	BCF	NOECs	Level
Alanine, N,N-bis(carboxymethyl)-, sodium salt (1:3)	-4	-	-	Very low
CAS No: 164462-16-2 EC No:	Ŧ			
nitrilotrimethylenetris(phosphonic acid)	2 52		-	Voncloss
CAS No: 6419-19-8 EC No: 229-146-5	-3,53	-		Very low

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 9 of 12
Date of compilation: 20/11/2024 Print date: 11/04/2025

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – $\mathsf{Emergency}$ sheets (F – Fire , S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



 Version 3
 Page 10 of 12

 Date of compilation: 20/11/2024
 Print date: 11/04/2025

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

Designation of the substance, of the **Conditions of restriction** group of substances or of the mixture 1. Shall not be used in: 3. Liquid substances or mixtures fulfilling the criteria for any of the following hazard - ornamental articles intended to produce light or colour effects by means of classes or categories set out in Annex I to different phases, for example in ornamental lamps and ashtrays, Regulation (EC) No 1272/2008: - tricks and jokes. (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, - games for one or more participants, or any article intended to be used as 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; market. 3. Shall not be placed on the market if they contain a colouring agent, (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on unless required for fiscal reasons, or perfume, or both, if they: development, 3.8 effects other than narcotic - can be used as fuel in decorative oil lamps for supply to the general public, effects, 3.9 and 3.10; (c) hazard class 4.1: - present an aspiration hazard and are labelled with H304. (d) hazard class 5.1. 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

The supplier has carried out a Chemical Safety Assessment for the substance/mixture.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



Version 3 Page 11 of 12 Pate of compilation: 20/11/2024 Print date: 11/04/2025

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 3: Acute toxicity (Oral), Category 3
Acute Tox. 4: Acute toxicity (Dermal), Category 4
Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2

Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2 : Eye irritation, Category 2 Met. Corr. 1 : Corrosive to metals, Category 1 Repr. 1B : Reproductive toxicant, Category 1B Skin Corr. 1B : Skin Corrosive, Category 1B Skin Irrit. 2 : Skin irritant, Category 2 Skin Sens. 1 : Skin sensitiser, Category 1 Skin Sens. 1B : Skin sensitiser, Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

AwSV: Facility Regulations for handling substances that are hazardous for the water.

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.

NOTE: No shoomed effect

NOEC: No observed effect concentration.

PNEC: Predicted No Effect Concentration, concentration of the substance below which adverse effects are

not expected in the environmental compartment.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

(in accordance with Regulation (EU) 2020/878)

Ecoclean Iron Spray-



 Version 3
 Page 12 of 12

 Date of compilation: 20/11/2024
 Print date: 11/04/2025

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.