(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 1 of 10
Date of compilation: 25/09/2024 Print date: 24/04/2025

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: Marine Solutions Banish UFI: 9WPU-196S-WTKC-YT4U

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

All interior cleaner.

### Uses advised against:

For professional use only.

### 1.3 Details of the supplier of the safety data sheet.

Company: **IGL Coatings** 

Address: No. 7, Jalan Majistret U1/26, Hicom-Glenmarie Industrial Park, Seksyen U1

City: 40150 - Shah Alam Province: Selangor

Province: Selangor Telephone: +0355690980

E-mail: regulations@iglcoatings.com Web: https://iglcoatings.com/

1.4 Emergency telephone number: (Only available during office hours; Monday-Friday; 08:00-18:00)

### **SECTION 2: HAZARDS IDENTIFICATION.**

#### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008: Eye Dam. 1 : Causes serious eye damage.

### 2.2 Label elements.

### Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



### Signal Word:

### Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

(in accordance with Regulation (EU) 2020/878)

# **Marine Solutions Banish-**



Version 3 Page 2 of 10 Date of compilation: 25/09/2024 Print date: 24/04/2025

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008		
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate	
CAS No: 7732-18-5 EC No: 231-791-2	water	75 - 100 %	-	-	
CAS No: 1643-20-5 EC No: 216-700-6	Dodecyldimethylamine oxide	1 - 2.5 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 - Aquatic Chronic 2, H411 - Eye Dam. 1, H318 - Skin Irrit. 2, H315	-	
CAS No: 68439-46-3	Alcohols,C9-11, ethoxylated	1 - 3 %	Acute Tox. 4, H302 - Eye Dam. 1, H318	-	
CAS No: 77-92-9 EC No: 201-069-1 Index No: 607-750-00-3	citric acid	0 - 10 %	Eye Irrit. 2, H319 - STOT SE 3, H335	ı	
CAS No: 497-19-8 EC No: 207-838-8 Index No: 011-005-00-2	sodium carbonate	0 - 10 %	Eye Irrit. 2, H319	-	
CAS No: Proprietary EC No: Proprietary	Proprietary	0 - 2.5 %	-	-	
CAS No: 77-71-4 EC No: 201-051-3	5,5-dimethylhydantoin	0 - 2.5 %	-	-	
CAS No: 8008-57-9 EC No: 616-926-9	Orange oil, sweet	0 - 0.25 %	Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Asp. Tox. 1, H304 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-	

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 3 of 10
Date of compilation: 25/09/2024 Print date: 24/04/2025

#### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eve contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### **SECTION 5: FIREFIGHTING MEASURES.**

The product does not present any particular risk in case of fire.

### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 4 of 10
Date of compilation: 25/09/2024 Print date: 24/04/2025

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, diatomaceous earth) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

#### **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

All interior cleaner.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
5,5-dimethylhydantoin	DNEL	Inhalation, Chronic, Systemic effects	60
CAS No: 77-71-4	(Workers)	·	(mg/m³)
FC No: 201-051-3	`		

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

(in accordance with Regulation (EU) 2020/878)

# **Marine Solutions Banish-**



 Version 3
 Page 5 of 10

 Date of compilation: 25/09/2024
 Print date: 24/04/2025

### 8.2 Exposure controls.

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Interior cleaner.	Concentration:	100 %			
If the recommended technical measures are observed, no individual protection equipment is necessary.  Hand protection:  PPE: Work gloves.  CEN standards: EN 374-1, En 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.  Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  Material: PVC (polyvinyl chloride) (min.): **Reakthrough time (polyvinyl chloride) (min.): **Option of the protection of the lenses, scraping etc.  Skin protection:  Skin protection:  PPE: Protective clothing.  CEN standards: EN 165, EN 166, EN 167, EN 168  Maintenance: Observations:  Skin protection:  PPE: Protective clothing.  CEN standards: EN 340  Maintenance: The protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  Maintenance: The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Work footwear.  CEN standards: EN 150 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Uses:	All interior cleaner.			
PPE: Work gloves.   CE» marking, category I.   EN 374-1, EN 374-2, EN 374-3, EN 420   Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.   Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight.   Always use with clean, dry hands.   Breakthrough time   YeVC   (min.):   Waterial thickness (mm):   PPE: Protective goggles with built-in frame.   CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.   EN 165, EN 166, EN 167, EN 168   CH 168, EN 169, EN 168   CH 168, EN 169, EN					
PPE: Characteristics: CEN standards:	If the recommended	technical measures are observed, no individual protection equipment is necessary.			
Characteristics: CEN standards: CEN	Hand protection:				
CEN standards:  EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  Material:  PVC (polyvinyl chloride)  Fye protection:  PPE:  Characteristics:  CEN standards:  Maintenance:  Observations:  PPE:  Characteristics:  CEN standards:  Maintenance:  Observations:  PPE:  Protective clothing.  PPE:  Characteristics:  CES marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Protective clothing.  PPE:  Protective clothing.  CES marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CEN sandards:  Maintenance:  Work footwear.  CEN sandards:  Minutenance:  Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:	Work gloves.			
Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.  Observations:  Material:  PVC (polyvinyl chloride)  PPE:  Characteristics:  CEN standards:  Maintenance:  Observations:  PPE:  Characteristics:  CEN standards:  Maintenance:  Observations:  PPE:  Characteristics:  Characteristics:  Characteristics:  Characteristics:  Observations:  PPE:  Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  Naintenance:  Observations:  Protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:				
Maintenance:  Do not make any change's to the gloves that may after their resistance, or apply paints, solvents or adhesives.  Observations:  Observations:  Material:  PVC (polyvinyl chloride)  PPE:  Characteristics:  CEN standards:  Observations:  Skin protection:  PPE:  Protective dothing.  Characteristics:  Observations:  Skin protection:  PPE:  Protective clothing.  CEs marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  Maintenance:  Maintenance:  Do not make any change's to the gloves that may after their resistance, or apply paints, solvents or adhesives.  Material:  PVC (polyvinyl chloride)  Min.):  PVE (polyvinyl chloride)  Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CEN standards:  Naintenance:  Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420			
adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  Material:  PVC (polyvinyl chloride)  PPE:  Characteristics:  CEN standards:  Diservations:  PPE:  Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CEN standards:  Noservations:  Work footwear for professional use includes protection elements aimed at protecting users against any					
Observations:  Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.  Material:  PVC (polyvinyl chloride)  PPE:  Characteristics:  CEN standards:  Observations:  PPE:  Characteristics:  CEN aracteristics:  CEN to 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Characteristics:  CEN standards:  Maintenance:  Maintenance:  Observations:  PPE:  Characteristics:  CEN standards:  CEN standards:  Now refore the paper reference in the appropriate size and fit the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Characteristics:  CEN standards:  Now footwear:  Alexen araking, category II.  EVEN bear araking bear araking, category II.  EVEN bear araking bea	Maintenance:				
Material:  Material:  PVC (polyvinyl chloride)  PVC (polyvinyl chloride)  Breakthrough time (min.):  PPE:  Characteristics:  CEN standards:  Disservations:  PFE:  Characteristics:  CEN standards:  Disservations:  Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.  EN 165, EN 166, EN 167, EN 168  Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Characteristics:  CEN standards:  Maintenance:  Observations:  PRE:  Characteristics:  CEN standards:  Observations:  Always use with clean, dry hands.  Breakthrough time (min.):  Reakthrough time (min.):  Reakthrough time (min.):  Protective clothing should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protective:  CEN standards:  Naintenance:  Observations:  PPE:  Work footwear.  Always use with built-in frame.  RecE* marking, category II.  Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear  Always use with built-in frame.  Work footwear for professional use includes protection elements aimed at protecting users against any					
Material:  PVC (polyvinyl chloride)  Breakthrough time	Observations:				
PPE: Characteristics: Observations:   PPE: Protective clothing.   Characteristics: Observations:   CEN standards:   CEN sta					
Eye protection:  PPE: Characteristics: Characteristics: CEN standards: Maintenance: Observations:  PPE: Characteristics: CEN standards: Doservations:  PPE: Characteristics: CEN standards: Doservations:  PPE: Characteristics: CEN standards: Doservations:  PPE: Characteristics: CEN standards: CEN protective clothing. CEN standards: CEN standards: CEN protective clothing. CEN standards: CEN stand	Material:				
PPE: Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168  Maintenance: Observations: Protective clothing.  Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168  Maintenance: Observations: Protective clothing.  Characteristics: CEN standards: EN 165, EN 166, EN 167, EN 168  Maintenance: Observations: Protective clothing.  Characteristics: CEN standards: EN 340  Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Work footwear.  Characteristics: «CE» marking, category II.  PPE: Work footwear.  Characteristics: «CE» marking, category II.  EN 180 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	Eve pretections	(polyvinyi chioride) (min.): (min):			
Characteristics:  CEN standards:  CEN standards:  CEN ten 165, EN 166, EN 167, EN 168  Maintenance:  Observations:  CEN standards:  PPE:  Characteristics:  CEN standards:  Protective clothing.  CLEN standards:  CEN standards:  CEN protection:  PPE:  Characteristics:  CEN standards:  CE		Distortive goggles with huilt in frame			
dust, smoke, fog and vapour.  CEN standards:  Maintenance:  Observations:  PPE:  Characteristics:  CEN standards:  Maintenance:  Characteristics:  CEN standards:  Observations:  Protective clothing.  «CE» marking, category II. Protective, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CEN standards:  CEN standards:  Observations:  CEN standards:  Observations:  CEN standards:  Observations:  CEN standards:  Observations:  CEN standards:  Work footwear.  CE» marking, category II.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	PPE:				
CEN standards:  Maintenance:  Observations:  Protective clothing.  Characteristics:  CEN standards:  Maintenance:  Observations:  Protective clothing.  Characteristics:  CEN standards:  Maintenance:  Observations:  Protective clothing.  Characteristics:  CEN standards:  Maintenance:  Maintenance:  Observations:  Protective clothing.  CEN standards:  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CEN standards:  Maintenance:  Observations:  Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics:				
Maintenance: Observations:  Skin protection:  PPE: Characteristics: CEN standards: Maintenance: Observations:  Observations:  Observations:  PPE: Characteristics: CEN standards: Maintenance: Observations:  Maintenance:  Observations:  Observations:  Observations:  CEN standards: Maintenance:  Maintenance:  Maintenance:  Observations:  Observations:  Observations:  Observations:  Maintenance:  Observations:  Observations:  Maintenance:  Observations:  Observations:  Observations:  Maintenance:  Observations:  Observations:  Work footwear.  Carbon and tear include: delal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, superfic	CEN standards:				
be disinfected periodically following the manufacturer's instructions.  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE:  Characteristics:  CEN standards:  Maintenance:  Observations:  Observations:  DPE:  Characteristics:  CEN standards:  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  CEN standards:  Maintenance:  Observations:  CEN standards:  Maintenance:  Observations:  Work footwear for professional use includes protection elements aimed at protecting users against any	CLIV Standards.				
Observations:  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Skin protection:  PPE: Characteristics: CEN standards: Maintenance: Observations:  Observations:  Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.  Protective clothing.  «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Characteristics: CEN standards: CEN marking, category II. EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:				
Skin protection:  PPE:					
PPE: Protective clothing.  Characteristics: CEN standards: EN 340  Maintenance: The protective clothing should not be too tight or loose in order not to obstruct the user's movements.  Discreptions: Protective clothing should not be too tight or loose in order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Work footwear.  Characteristics: «CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	I ( Inservations:				
PPE: Protective clothing.  Characteristics: CEN standards: EN 340  Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Work footwear.  Characteristics: «CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	Skin protection:				
order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  Characteristics:  CEN standards:  Maintenance:  Maintenance:  Observations:  Observations:  One order not to obstruct the user's movements.  EN 340  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Work footwear.  «CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any		Protective clothing.			
CEN standards:  Maintenance:  Maintenance:  Observations:  CEN standards:  Maintenance:  Observations:  CEN standards:  Observations:  CEN standards:  Observations:  Observations:  CEN standards:  Observations:  CEN standards:  CEN standa	Characteristics	«CE» marking, category II. Protective clothing should not be too tight or loose in			
Maintenance:  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE:  Characteristics:  CEN standards:  Maintenance:  Maintenance:  Observations:  In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided by the manufacturer.  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the manufacturer.  Work footwear.  CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	Characteristics.	order not to obstruct the user's movements.			
the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Characteristics: CEN standards: Maintenance:  Maintenance:  Observations:  Work footwear  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any	CEN standards:				
the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Work footwear. Characteristics: CEN standards: Maintenance: Maintenance:  Observations:  The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the user's level of activity and the expected time of use.  Work footwear.  CEN marking, category II. EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any	Maintenance:				
Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.  PPE: Work footwear.  Characteristics: «CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Observations: Work footwear for professional use includes protection elements aimed at protecting users against any					
of activity and the expected time of use.  PPE: Work footwear.  Characteristics: «CE» marking, category II.  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	Observations:				
PPE: Work footwear. Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Observations: Work footwear for professional use includes protection elements aimed at protecting users against any					
Characteristics: «CE» marking, category II.  CEN standards: EN ISO 13287, EN 20347  Maintenance: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Observations: Work footwear for professional use includes protection elements aimed at protecting users against any	DDE:				
CEN standards:  Maintenance:  Maintenance:  Observations:  EN ISO 13287, EN 20347  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any		***************************************			
Maintenance:  This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any					
not be used by other people.  Observations  Not be used by other people.  Work footwear for professional use includes protection elements aimed at protecting users against any		,			
Observations: Work footwear for professional use includes protection elements aimed at protecting users against any					
I (Incervations:					
	Observations:	injury resulting from an accident			

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid Colour: Colourless Odour: Lemon

Odour threshold: Not available.

Melting point: 0 °C Freezing point: 0 °C

Boiling point or initial boiling point and boiling range: 100 °C

Flammability: Not available. Lower explosion limit: Not available.

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 6 of 10 Date of compilation: 25/09/2024 Print date: 24/04/2025

Upper explosion limit: Not available.

Flash point: 100 °C

Auto-ignition temperature: Not available. Decomposition temperature: Not available.

pH: Not available.

Kinematic viscosity: Not available. Solubility: Completely soluble Hydrosolubility: Not available. Liposolubility: Not available.

Partition coefficient n-octanol/water (log value): Not available.

Vapour pressure: Not available. Absolute density: 1000 kg/m3 Relative density: Not available. Relative vapour density: Not available. Particle characteristics: Not available.

### 9.2 Other information

Not available.

### **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

### 11.1 Information on hazard classes as defined in Regulation (EC) $N^0$ 1272/2008.

There are no tested data available on the product.

Splatters in the eyes can cause irritation and reversible damage.

a) acute toxicity;

Not conclusive data for classification.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Oral) = 14,286 mg/kg

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 7 of 10
Date of compilation: 25/09/2024 Print date: 24/04/2025

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards.

#### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### **Other information**

There is no information available on other adverse health effects.

### **SECTION 12: ECOLOGICAL INFORMATION.**

#### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
5,5-dimethylhydantoin		-0,65	_	_	Verv low
CAS No: 77-71-4	EC No: 201-051-3	0,03			VCI y IOW

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 8 of 10
Date of compilation: 25/09/2024 Print date: 24/04/2025

#### 12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport. ICAO/IATA: Not classified as hazardous for transport.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

### 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

### 14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

# **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
3. Liquid substances or mixtures fulfilling the criteria for any of the following hazard	1. Shall not be used in:

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



Version 3 Page 9 of 10
Date of compilation: 25/09/2024 Print date: 24/04/2025

classes or categories set out in Annex I to Regulation (EC) No 1272/2008:

- (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;
- (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;
- (c) hazard class 4.1;
- (d) hazard class 5.1.

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and.
- present an aspiration hazard and are labelled with H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
- (c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Autoclassified according to the AwSV Regulations)

### 15.2 Chemical safety assessment.

The supplier has carried out a Chemical Safety Assessment for the substance/mixture.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects.

### Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2

(in accordance with Regulation (EU) 2020/878)

### **Marine Solutions Banish-**



**Version 3** Page 10 of 10 Date of compilation: 25/09/2024 Print date: 24/04/2025

Asp. Tox. 1: Aspiration toxicity, Category 1 Eye Dam. 1 : Serious eye damage, Category 1 Eye Irrit. 2: Eye irritation, Category 2 Flam. Liq. 3: Flammable liquid, Category 3

STOT SE 3: Specific target organ toxicity following a single exposure, Category 3

Skin Irrit. 2: Skin irritant, Category 2 Skin Sens. 1: Skin sensitiser, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Calculation method Health hazards Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

#### Abbreviations and acronyms used:

AwSV: Facility Regulations for handling substances that are hazardous for the water.

Bioconcentration factor. BCF:

European Committee for Standardization. CEN:

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. Lethal concentration, 50%. LC50: Lethal dose, 50%. LD50:

NOEC: No observed effect concentration.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.